

# Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 1-24-20014

Address: NONE VEHICLE

Incident #: 14ISPC000602

SEARCH

County: ORANGE

**Type of Laboratory Seizure** (check one)

- ☒ Operational Lab  
☐ Chemical/Glassware/Equipment (only)  
☐ Dumpsite (only)

**Seizure Location** (check all that apply)

- ☐ Residence ☐ Hotel/Motel  
☐ Outbuilding ☐ Open – No Structure  
☒ Vehicle ☐ Other: \_\_\_\_\_

**Items Found: Location** (bedroom, kitchen, open air, etc)

(check all that apply)

- ☐ One Pot or Birch Reaction(s): \_\_\_\_\_  
☐ Red Phosphorous/Iodine Reaction(s): \_\_\_\_\_  
☐ Hydrochloric Acid Gas Generator(s): \_\_\_\_\_  
☒ Flammable Solvents: BACK PACK  
☒ Water Reactive Metal (Lithium): BACK PACK  
☐ Anhydrous Ammonia: \_\_\_\_\_  
☒ Corrosive Acid: BACK SEAT  
☐ Corrosive Base: \_\_\_\_\_  
☒ Other (item and location): EXTRACTION BACK PACK

**Vehicle Information:**

Owner: DUSTIN TAYLOR  
VIN: 1NXBR12E922653043  
Year: 2002

Make: TOYOTA  
Model: COROLLA

**Child under age 18 discovered** (check appropriate)

- ☐ Yes \_\_\_\_\_ (number present)  
☐ No  
☐ Children not present but evidence they reside  
or visit often

Living conditions of home: ☐ clean ☐ disarray  
☐ unclean

Estimated length of time manufacturing had been  
occurring: \_\_\_\_

Additional Information:

**This report has been faxed\* or emailed to the following agencies that serve the location:**

Fire Department City, Township or County PAOLI

Fax: 812 723 2417

Health Department County: ORANGE CO

Fax: 812 723 7117

Department of Child Services Hotline: [dcshotlinereports@dcsc.in.gov](mailto:dcshotlinereports@dcsc.in.gov) Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: Paul Andry

Phone 812 459 2239

\*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.